

# Second Thoughts on the Second Law

Stefan Wolf

Faculty of Informatics, Università della Svizzera italiana, 6900 Lugano, Switzerland  
*Facoltà indipendente di Gandria, 6978 Gandria, Switzerland*

**Abstract.** We speculate whether the *second law of thermodynamics* has more to do with Turing machines than steam pipes. It states the *logical reversibility* of reality as a computation, *i.e.*, the fact that no information is forgotten: nature computes with Toffoli-, not NAND gates. On the way there, we correct Landauer’s erasure principle by directly linking it to *lossless data compression*, and we further develop that to a lower bound on the energy consumption and heat dissipation of a general computation.

## 1 Prologue

A few years ago, our group had the great pleasure and privilege to receive *Juraj Hromkovič* as a guest in *Ticino*. He had announced a discourse on the topic “*What is information?*”. It was a fascinating lecture in which Juraj was advocating to view information as *complexity*. This has been inspiring for me, and it is probably not a coincidence that soon after that, I realized that the use of *Kolmogorov complexity* [17]<sup>1</sup> instead of probability distributions in the context of the fascinating but strange “non-local” correlations that quantum physics comes with — and that had been my main object of study for over a decade already at that time — offers a significant conceptual advantage: *Non-counterfactuality*, *i.e.*, no necessity to talk about the outcomes of unperformed experiments.

*John Stewart Bell* showed in 1964 [6] that quantum theory predicts correlations between measurement outcomes that are too strong to be explained by shared classical information. This is as if identical twins did not only *look* alike — such correlations can easily be explained with their identical DNA sequences and do not confront us with a “metaphysical” problem — but also *behaved* in a ways so strongly correlated that genetic explanations fail. Bell’s result was a late reply to an attack to quantum theory by *Einstein, Podolsky, and Rosen* (“EPR”) in 1935 [11] who remarked that if the outcomes of measurements on quantum systems are correlated, then they cannot be spontaneously random as predicted by the theory, but they must already have been determined beforehand, at the occasion of the creation of the *entangled pair*. To stay with our analogy: If twins

---

<sup>1</sup> The Kolmogorov complexity  $K_{\mathcal{U}}(x)$  of a string  $x$  with respect to a universal Turing machine  $\mathcal{U}$  is the length of the shortest program for  $\mathcal{U}$  that outputs  $x$ . The *conditional* complexity of  $x$  given  $y$ ,  $K_{\mathcal{U}}(x|y)$ , is the length of the shortest program outputting  $x$  upon input  $y$ . The quantities depend on the choice of the specific machine  $\mathcal{U}$  only through an additive constant.

look the same, their looks must be determined by their genes; if they also behave the same, then so must their behaviour. This is a natural thought — but it is insufficient, and to realize this is Bell’s breakthrough: “*Genetic*” explanations are too weak for quantum correlations. But then, where *do* they come from? What mechanism establishes them?

The basis of *EPR*’s argument has later been called “Reichenbach’s principle” [21]: A correlation in a causal structure is established either by a *common cause* in the common past or a *direct influence* from one event to the other. Bell’s celebrated argument rules out the first possibility if that common cause is to be a piece of classical information. *Influence* stories for establishing quantum correlations cannot be ruled out entirely, but they require the speed of that influence to be infinite, and they are unnatural in other respects expressing the fact that explaining a *non*-signaling phenomenon with a *signaling* mechanism is shooting sparrows with cannons. Eventually, *the fundamentality of the causal structure is in question*<sup>2</sup> — the only assumption for Reichenbach’s principle. So motivated, models of *relaxed causality* have been studied [20] and disclosed an unexpectedly rich world [3] between fixed causal orders and logical inconsistency (*à la* “grandfather paradox” — you travel to the past and kill your own grandfather — *etc.*), much like *Bell world* between locality and signaling.

The fall of rigid causality comes with a further victim, *randomness*: Common physical definitions of freeness of randomness [9] are based on that very structure and they fall with it. One way out is to consider freeness of randomness as fundamental and causality as emerging from it, via: “*What is correlated with a perfectly free bit must be in its future.*” For single bits, this is the best we can hope for. For bit *strings*, however, there can be an *intrinsic randomness notion* depending only on the data itself but not (otherwise) on the process leading up to them. In our search for such a non-contextual view, we land in a field traditionally related to probability distributions and ensembles but that knows a “non-counterfactual” viewpoint as well: *Thermodynamics*.

## 2 From the Steam Pipe ...

The story<sup>3</sup> of the *second law of thermodynamics* starts with *Sadi Carnot* (1796–1832) and his study of heat engines such as *James Watt*’s steam pipe. To conclude that the law manifests itself only for such engines and their circular processes means to underestimate a general *combinatorial fact*. The second law was discovered through steam engines because they first permitted a precise unclouded view on it — but the law is restricted to combustion engines as little as Jupiter’s moons depend on telescopes.<sup>4</sup>

<sup>2</sup> The idea of dropping causality may sound radical but is not new; see *Bertrand Russell, 1913* [22]: “The law of causality [...] is a relic of a bygone age, surviving, like the monarchy, only because it is erroneously supposed to do no harm.”

<sup>3</sup> Most of the following historical facts are drawn from the article “Bluff your way in the second law of thermodynamics” by *Jos Uffink*, 2001.

<sup>4</sup> A symptom of the law’s generality is that it has advanced to becoming pop culture in the meantime: see, *e.g.*, Allen, W., *Husbands and Wives* (1992) — The protagonist

*Carnot* discovered that the maximal efficiency of a heat engine between two heat baths depended solely on the two temperatures involved. This was his only publication; it appeared when he was 28 and was entitled: “*Réflexions sur la puissance motrice du feu et sur les machines propres à développer cette puissance.*”

*Rudolf Clausius*’ (1822–1888) version of the second law reads: “*Es kann nie Wärme aus einem kälteren in einen wärmeren Körper übergehen, ohne dass eine andere damit zusammenhängende Änderung eintritt.*” — “No process can transport heat from cold to hot and do no further change.”

*W. Thomson (Lord Kelvin)* (1824–1907) formulated his own version of the second law and then concluded that the law may have consequences more severe than what is obvious at first sight: “*Restoration of mechanical energy without dissipation [...] is impossible. Within a finite period of time past, the earth must have been, within a finite time, the earth must again be unfit for the habitation of man.*”

Also for *Clausius*, it was only a single thinking step from his version of the law to conclude that all temperature differences in the entire universe will vanish — the “*Wärmemethode*” — and that then, no change will happen anymore. He speaks of a general tendency of nature for change into a specific direction: “*Wendet man dieses auf das Weltall im Ganzen an, so gelangt man zu einer eigentümlichen Schlussfolgerung, auf welche zuerst W. Thomson aufmerksam machte, nachdem er sich meiner Auffassung des zweiten Hauptsatzes angeschlossen hatte.*<sup>5</sup> *Wenn [...] im Weltall die Wärme stets das Bestreben zeigt, [...] dass [...] Temperaturdifferenzen ausgeglichen werden, so muss es sich mehr und mehr dem Zustand annähern, wo [...] keine Temperaturdifferenzen mehr existieren.*” — “When this is applied to the universe as a whole, one gets to the strange conclusion that already *W. Thomson* had pointed out after having taken my view of the second law. If heat always tends towards reducing temperature differences, then the universe will approximate more and more the state in which no temperature differences exist anymore.”<sup>6</sup>

*Ludwig Boltzmann* (1844–1906) brought our understanding of the second law closer to combinatorics and probability theory: The second law was for him the expression of the fact that it is more likely to end up in a *large* set of possible states than in a small one: The higher the number of *particular* situations (microstates) which belong to a *general* one (macrostate), the more likely it is to be in that general situation. In other words, time evolution does not decrease a

---

Sally is explaining why her marriage did not work out. First she does not know, then she realizes: “It’s the second law of thermodynamics: sooner or later, everything turns to shit. That’s my phrasing, not the *Encyclopedia Britannica*.” The second law is less popular than Einstein’s elegant relativity or Bennett *et al.*’s sexy teleportation since it does not have any glamour, fascination, or promise attached to it: Quite on the contrary, it stands for facts we usually deny or try to avoid.

<sup>5</sup> Roughly: “He had an interesting view on the second law after having adopted mine.”

<sup>6</sup> It seems that his faithful pupil *Max Planck* believed that claim was untenable — *Clausius* finally erased, last-minute, all remarks concerning “the entropy of the universe as a whole” from his collected works — by hand.

closed system’s *entropy*, which is proportional to the logarithm of the number of corresponding microstates: Things do not get “more special” with time.<sup>7</sup>

Boltzmann’s notions of *macrostate* and *entropy* are subjective, and it is not obvious how to define them in general *e.g.*, for non-equilibria. We propose instead a version of the second law that is broader and more precise at the same time, avoiding probabilities and ensembles. Crucial steps in that direction were made by *Wojciech Zurek* [30]. We follow *Rolf Landauer* [18] whose choice of viewpoint about thermodynamics can be compared with *Ernst Specker*’s [23] about quantum theory: *Logic*.

### 3 ...to the Turing Machine

Landauer [18] investigated the thermodynamic price of logical operations. He was correcting a belief by *John von Neumann* that every bit operation required free energy  $kT \ln 2$ .<sup>8</sup> According to Landauer — as confirmed by *Fredkin and Toffoli*’s [14] “ballistic computer” —, that price is unavoidable only for *logically irreversible* operations such as the AND or the OR. On the positive side, it has been observed [7] that every function, bijective or not, can in principle be evaluated in a *logically reversible way, using only “Toffoli gates,” i.e., made-reversible and then-universal AND gates*; this computation can then be thermodynamically neutral, *i.e.*, it does not dissipate heat.


*Landauer’s principle* states that the erasure (setting the corresponding binary memory cells to 0) of  $N$  bits costs  $kTN \ln 2$  free energy which must be dissipated as heat to the environment, a thermal bath of temperature  $T$ . The *dissipation* is crucial in the argument: Heating up the environment compensates for the *loss of entropy* within the memory cell which is materialized by some physical system (spin, gas molecule, *etc.*). Landauer’s principle is a direct consequence of Boltzmann’s view of the second law.

---

<sup>7</sup> The corresponding formula  $S = k \ln W$  is written in golden letters on Boltzmann’s gravestone at the *Zentralfriedhof* — which is, as the word goes in Vienna, “halb so gross und doppelt so lustig wie Zürich”. Boltzmann imagined that the universe had started in a completely “uniform” state. So the diverse reality now perceived would be a mere fluctuation. Note that the fact that this fluctuation is extremely unlikely is irrelevant if you can *condition on our existence*, given your thinking all this (this thought is sometimes called “the anthropic principle”). He was probably aware that this way of thinking may lead into *solipsism*: “My existence alone, simply imagining all that, is much more likely than the actual existence of all people around me, let alone all the visible galaxies, *etc.*” He eventually hung himself in a hotel room in Duino, Italy. It has been colported in Vienna that this may have been due to “mobbing” at the university by Ernst Mach. Anyhow, today we prefer to comfort ourselves with the contrary belief that the universe initiated in a low-entropy state, and we call this assumption “the big bang.”

<sup>8</sup> Here,  $k$  is Boltzmann’s constant connecting the micro- and macroscopic realms,  $T$  the environmental temperature — and the factor  $\ln 2$  is a common sight at the border between logic and physics with their respective basic constants 2 and  $e$ .

Charles Bennett [8] used Landauer’s slogan “Information is Physical” for making the key contribution to the resolution of the paradox of “Maxwell’s demon” (see, *e.g.*, [24]). That demon had been thought of as violating the second law<sup>9</sup> by adaptively handling a frictionless door with the goal of “sorting a gas” in a container. Bennett took the demon’s memory (imagined to be in the all-0-state before sorting) into account, which is in the end filled with “random” information remembering the original state of the gas: The growth of disorder *within* the demon compensates for the order she creates *outside* (*i.e.*, in the gas) — the second law is saved. The initial 0-string is the demon’s resource allowing for her order creation (see Figure 1): If we break Bennett’s argument apart in the middle,



**Fig. 1.** Bennett’s resolution of the Maxwell-demon paradox.


we end up with the *converse* of Landauer’s principle: The all-0-string has *work*

<sup>9</sup> Also other authors noted the strange dependency of the law on the absence of certain life forms — Kelvin wrote: “When light is absorbed *other than in vegetation*, there is dissipation [...]”). To make things worse, there is always a non-zero probability (exponentially small, though) of exceptions, where the law fails to hold; we are not used to this from other laws of physics (outside quantum theory). This *fragility* of the second law is weirdly contrasted by its being, at the same time, *more robust* than others, such as Bell violations only realizable in extreme lab conditions: We do not need to trust experimentalists to be convinced that “it” is there — in fact everywhere.

value, *i.e.*, if we accept the respective memory cells to become “randomized,” we can extract  $kTN \ln 2$  free energy from the environment (of temperature  $T$ ).

Already Bennett [7] had implied that for some strings  $S$ , the *erasure cost* is less than Landauer’s  $\text{len}(S) \cdot kT \ln 2$ : Besides the obvious  $00 \dots 0$  and  $11 \dots 1$ , this is also true, *e.g.*, for the string formed by the first  $N$  digits of the binary expansion of  $\pi$ : The reason is that there is a *short program* generating the sequence or, in other words, a logically *reversible* computation between (essentially)  $0^N$  and  $\pi^N$  that can be carried out thermodynamically reversibly [14]. Generally, if the string can be *compressed* in a lossless fashion, then the erasure cost shrinks accordingly.

Let us consider a *model for the erasure process* (see Figure 2) in which there is, besides the string  $S$  to be erased, another string  $X$  on the tape as a “catalyst” summarizing possible *a priori* “knowledge” about  $S$ , so helping to compress it but remaining itself unchanged in the process. The universal Turing machine  $\mathcal{U}$ ’s tape is assumed to be finite — there would be infinite “work value” on it otherwise —, and the resulting erasure cost is  $\text{EC}_{\mathcal{U}}(S|X)$ .



**Fig. 2.** Erasing  $S$  with catalyst  $X$  at cost  $\text{EC}_{\mathcal{U}}(S|X)$ : First,  $X$  is reversibly compressed to the shorter string  $P$  for free, then that “program”  $P$  is erased at cost  $kT \ln 2 \cdot \text{len}(P)$ .

Bennett [7] claims that the erasure cost of a string is, actually, its Kolmogorov complexity times  $kT \ln 2$ ; this would in our model translate to the erasure cost equalling the conditional complexity of the string to be erased, given the side information:  $\text{EC}_{\mathcal{U}}(S|X) = K_{\mathcal{U}}(S|X)$ . Unfortunately, this is in general not achievable due to the *uncomputability* of Kolmogorov complexity and the corresponding

compression transformation, and since we assume the extraction to be carried out by a Turing machine, in the spirit of the *Church/Turing hypothesis* [16]. It is, however, true that complexity leads to a *lower bound* on the erasure cost since it represents the ultimate limit on the lossless compressibility of the string by  $\mathcal{U}$ . In the same way, we can argue that any *concrete* and *computable* compression algorithm (with side information)  $C$ , e.g., Lempel/Ziv [29], leads to an *upper bound* on the erasure cost: First, we reversibly compress (at no energy cost) and then erase the compression.<sup>10</sup>

**Landauer’s principle, revisited.** *Let  $C$  be a computable function,*

$$C : \{0, 1\}^* \times \{0, 1\}^* \rightarrow \{0, 1\}^* ,$$

*such that*

$$(V, W) \mapsto (C(V, W), W)$$

*is injective. Then the cost of the erasure of  $S$  with catalyst  $X$ , carried out by the universal Turing machine  $\mathcal{U}$ , is bounded by*

$$K_{\mathcal{U}}(S|X) \cdot kT \ln 2 \leq \text{EC}_{\mathcal{U}}(S|X) \leq \text{len}(C(S, X)) \cdot kT \ln 2 .$$

The principle can be extended to an *arbitrary* computation starting with input  $A$  and leading up to output  $B$  with side information  $X$ , where  $(A, X)$  and  $(B, X)$  are the only content of the tape, besides 0s, before and after the computation, respectively. Our result is an algorithmically constructive modification of entropic results [12] and a generalization of less constructive but also complexity-based claims [31].

**Landauer’s principle, generalized.** *Let  $C$  be a computable function,*

$$C : \{0, 1\}^* \times \{0, 1\}^* \rightarrow \{0, 1\}^* ,$$

*such that*

$$(V, W) \mapsto (C(V, W), W)$$

*is injective. Assume that the Turing machine  $\mathcal{U}$  carries out a computation such that  $A$  and  $B$  are its initial and final states. Then the energy cost of this computation with side information  $X$ ,  $\text{Cost}_{\mathcal{U}}(A \rightarrow B | X)$ , is at least*

$$\text{Cost}_{\mathcal{U}}(A \rightarrow B | X) \geq [K_{\mathcal{U}}(A|X) - \text{len}(C(B, X))] \cdot kT \ln 2 .$$

<sup>10</sup> Our result is in a certain contrast with claims by Dahlsten *et al.* [10] who take an *entropic* stand: If a “demon” knows perfectly the string to be erased, this can be done for free. In our algorithmic view, this is not reproduced for the case where that knowledge is *non-constructive*, e.g., “ $S$  consists of the first  $N$  bits  $\Omega^N$  of the *halting probability*  $\Omega$  of  $\mathcal{U}$ .” Given that particular knowledge, the entropy of  $S$  is zero, but still it does not help for erasing  $S$  since no algorithm can generate or “uncompute”  $S$  with the help of that knowledge. In contrast, as long as the knowledge is a copy of  $S$  or a program that allows for computing  $S$ , the results of [10] and our own match.

*Proof.* The erasure cost of  $A$ , given  $X$ , is at least  $K_{\mathcal{U}}(A|X) \cdot kT \ln 2$  according to the above. *One* possibility of realizing this complete erasure of  $A$  is to first transform it to  $B$  (given  $X$ ), and then erase  $B$  — at cost at most  $\text{len}(C(B, X)) \cdot kT \ln 2$ . Therefore, the cost to get from  $A$  to  $B$  given  $X$  cannot be lower than the difference between  $K_{\mathcal{U}}(A|X) \cdot kT \ln 2$  and  $\text{len}(C(B, X)) \cdot kT \ln 2$ . *qed.*

The complexity reductions in these statements quantify the “amount of logical irreversibility” inherent in the respective process, and the quantity of required work — the price for this *non-injectivity* — is proportional to that. The picture is now strangely *hybrid*: The environment must pay a *thermodynamic (macroscopic)* price for what happens *logically (microscopically)* in one of its parts. What prevents us from looking at the environment with a microscope? If we let ourselves inspire by *John Archibald Wheeler’s* [26] “It from Bit,” we see the possibility of a compact argument: The price that the environment has to pay in compensation for the irreversibility of the computation in one of its parts is such that the *overall computation is reversible*.

**Second law of Thermodynamics, logico-computational.**

*Time evolutions are logically reversible: No information gets erased.*

Let us first note that this condition on time evolutions is, like traditional “second laws,” asymmetric in time: Logical reversibility only requires the future to uniquely determine the past, *not vice versa*: So if “reality” is such an injective computation, its reverse can be injective as well (*e.g.*, computation of a *deterministic* Turing machine, Everett/Bohm interpretation of quantum theory) or this fails to hold since the forward direction has splitting paths (*e.g.*, computation of a *probabilistic* Turing machine).

The second law has often been linked to the emergence of an *arrow of time*. How is that compatible with our view? In *determinism*, logical reversibility holds *both ways*. What could then be possible origins of our ability to distinguish past and future? (Is it the limited precision of our sense organs and the resulting *coarse-graining*?) *Indeterminism* is easier in that sense since it comes with objective asymmetry in time: *Randomness* points to the future.

## 4 Consequences

### Logical reversibility implies quasi-monotonicity.

The logical reversibility of a computation implies that the overall complexity on the Turing machine’s tape at time  $t$  can be smaller than the one at time 0 by at most  $K(C_t) + O(1)$  if  $C_t$  is a string encoding the time span  $t$ . The reason is that one possibility of describing the state at time 0 is to give the state at time  $t$ ,



plus  $t$  itself; the rest is exhaustive search using only a constant-length program simulating forward time evolution.

### Logical reversibility implies a Boltzmann-like second law.

The notion of a *macrostate* can be defined in an objective way, using a “structure” function based on the *Kolmogorov sufficient statistics* [1], [4]. Roughly speaking, the macrostate is the structure or “compressible part” of a microstate: Given the macrostate — being a set of microstates that is, ideally, small, and its description at the same time short (such as: “a gas of volume  $V$ , temperature  $T$ , and pressure  $p$  in equilibrium”) —, the particular microstate is a “typical element” of it, specifiable only through stubborn binary coding. This notion of a macrostate is typically unrelated to the second law except when the initial and final macrostates both have very short descriptions, like for equilibria: Then, logical reversibility implies that their size is essentially non-decreasing in time. This is Boltzmann’s law.


### Logical reversibility implies a Clausius-like second law.

If we have a circuit — the time evolution — using only logically reversible Toffoli gates, then it is *impossible* that this circuit computes a transformation of the following nature: Any pair of strings — one with higher Hamming weight than the other — is mapped to a pair of equally long strings where the heavy string has become heavier and the light one lighter. Such a mapping, which *accentuates* differences, cannot be injective for counting reasons. We illustrate this with a toy example (see Figure 3).

*Example.* Let a circuit consisting of Toffoli gates map an  $N(= 2n)$ -bit string to another string — which must then be  $N$ -bits long as well, due to reversibility. We consider the map separately on the first and second halves of the full string. We assume the computed function to be conservative, *i.e.*, to leave the Hamming weight of the full string unchanged. We look at the excess of 1’s in one of the halves (which equals the deficit of 1’s in the other). We observe that the probability (with respect to the uniform distribution over all strings of some Hamming-weight couple  $(wn, (1-w)n)$ ) of the *imbalance substantially growing* is exponentially weak. The key ingredient in the argument is the function’s injectivity. Explicitly, the probability that the weight couple goes from  $(wn, (1-w)n)$  to  $((w + \Delta)n, (1-w - \Delta)n)$  — or more extremely —, for  $1/2 \leq w < 1$  and  $0 < \Delta \leq 1-w$ , is

$$\frac{\binom{n}{(w+\Delta)n} \binom{n}{(1-w-\Delta)n}}{\binom{n}{wn} \binom{n}{(1-w)n}} = 2^{-\Theta(n)} :$$

Logical reversibility is incompatible with the tendency of *polarization* of differences.



**Fig. 3.** Logical reversibility does not accentuate differences: Clausius.

### Logical reversibility implies a Kelvin-like second law.

Finally, logical reversibility also implies statements resembling Kelvin’s version of the second law: “A single heat bath alone has no work value.” This, again, follows from a counting argument: There exists no reversible circuit that concentrates redundancy to some pre-chosen bit positions.


*Example.* The probability that a fixed circuit maps a string of length  $N$  and Hamming weight  $w$  to another such that the first  $n$  positions contain only 1’s, and such that the Hamming weight of the remaining  $N - n$  positions is  $w - n$ , is

$$\frac{\binom{N-n}{w-n}}{\binom{N}{w}} = 2^{-\Theta(n)} .$$

In a sense, Kelvin’s law is a special case of Clausius’ formulation.

## 5 Epilogue

*A priori*, the relation between physical reality and computation is two-fold: Turing’s famous machine model is physical — besides the tape’s infiniteness —, and the generalized Church/Turing hypothesis suspects physical processes to be simulatable on a Turing machine (see Figure 4). This *circulus* has been the background of our considerations.



**Fig. 4.** Physics and information: Scenes from a marriage.

In the “Church/Turing view,” a physical law is a property of a Turing machine’s computation: The *second law of thermodynamics* is *logical reversibility*.<sup>11</sup>

What can be said about the validity of the Church/Turing hypothesis? Nothing absolute, just as on “determinism.” But exactly like for that latter problem, an *all-or-nothing* statement creates, at least, a clear dichotomy [27], [2].

**All-or-Nothing Feature of the Church/Turing Thesis.**  
*Either no entity can generate non-Turing-computable sequences,  
 or even single photons can.*

This results when we pursue the idea that *Kolmogorov complexity* measures *intrinsic randomness* and apply it to *Bell correlations*: If we have access to some “super-Turing machine,” we let that machine choose the particular measurement

<sup>11</sup> The quantum-physical-interpretational reading thereof is the Everettian *relative-state* view: In contrast to collapse interpretations, it *is* logically reversible due to its unitarity. — There is a vivid dispute on such readings of quantum theory that is sometimes more fiery than exact, more passionate than argumentational: The nature of the debate is ignoring *Paul Feyerabend’s* remark that in science just as well as in art, a particular *style* can merely be judged from the point of view of another, never objectively. This call to modesty culminated in seeing *science as one style among many*: “Man entscheidet sich für oder gegen die *Wissenschaften* genau so, wie man sich für oder gegen *punk rock* entscheidet” [13].

bases for the two parts of an entangled quantum system. The correlations then imply the sequence of measured values to be Turing-uncomputable as well. This analysis [28] resembles well-known arguments but replaces randomness by complexity. The new approach has two conceptual advantages. The first is its *non-counterfactuality*: We do not talk about the outcomes of *unperformed* measurements. (Any Bell inequality does.) The second is *context-independence*: No process-based notion of randomness is required. Such definitions are typically embedded into a *causal structure* — but the non-local correlations *themselves*, with their inexplicability by a “reasonable” mechanism within such a structure, are among the strongest arguments *against* fundamental causality. The alternative is to consider “free will” (randomness, if you will) as more fundamental and causality as emerging from it through: “If  $Y$  is correlated with  $X$ , and  $X$  is *freely random*, then  $Y$  must be in  $X$ ’s future.”<sup>12</sup> Then the arrow of time appears as an accumulation of irreversible binary decisions. The reverse transformation of such splits is not logically reversible and, hence, violates the second law:

$$\text{Logical Reversibility} + \text{Randomness} = \text{Thermodynamic Irreversibility} .$$

This equation suggests how it comes that a law which we read here as reversibility is often linked to the exact opposite.

---

<sup>12</sup> Already in the early modern period there has been a vivid debate about the fundamentality of absolute spacetime, for which *Newton* was advocating; *Leibniz*, on the other hand, rejected the notion as absurd and understood spacetime as merely relational, emergent, and of logical nature. The corresponding debate [25] has been decided by the course of history in favor of Newton — with certain exceptions, notably *Ernst Mach*. We are not the only ones to suggest that the choice taken then should be reconsidered today in the light of new insight.

Although Einstein’s relativity’s crystallization point was *Mach’s principle* — “inertial forces are *relational*, and not with respect to absolute spacetime” — it does not obey it: For Einstein, spacetime *is* fundamental and even in the massless universe, there is the flat spacetime of special relativity. However, an inherent refutation of rigidly causal thinking *is* contained in the field equations of general relativity — having solutions in the form of *closed spacetime curves* [15]. When causality is dropped, one risks antinomies. Ruling out the latter does, however, not throw us back to causality [3]. This observation has recently been extended to *computational complexity* [5]: Non-causal circuits avoiding antinomies are strictly stronger than rigidly causal circuits.

The opposition between Newton and Leibniz can be seen as the modern version of the tension between the thinking styles of the pre-Socratic philosophers *Parmenides* and *Heraclitus*: For the former, all time and change are pure *illusions*, whereas for the latter, *only change is real*: “You cannot step into the same river twice.” Nietzsche [19] compared the “cold logician” Parmenides to *ice*, whereas Heraclitus is the *fiery* physicist. The postmodern manifestation of the tension is the gap between Landauer’s “Information is Physical” and Wheeler’s “It from Bit.” In this note, we play on just that opposition for obtaining our reading of the second law.

**Acknowledgments.** The author thanks Mateus Araújo, Veronika Baumann, Ämin Baumeler, Charles Bédard, Claus Beisbart, Gilles Brassard, Harvey Brown, Xavier Coiteux-Roy, Caslav Brukner, Harry Buhrman, Matthias Christandl, Fabio Costa, Bora Dakic, Frédéric Dupuis, Paul Erker, Adrien Feix, Jürg Fröhlich, Nicolas Gisin, Arne Hansen, Juraj Hromkovič, Marcus Huber, Alberto Montina, Samuel Ranellucci, Paul Raymond-Robichaud, Louis Salvail, L. Benno Salwey, Andreas Winter, and Chris Wüthrich for inspiring discussions. — *Grazie mille!*

Our work is supported by the Swiss National Science Foundation (SNF), the National Centre of Competence in Research “Quantum Science and Technology” (QSIT), and the *Hasler Foundation*.

## References

1. S. Aaronson, <http://www.scottaaronson.com/blog/?p=762>, 2012.
2. Ä. Baumeler, C. Bédard, G. Brassard, and S. Wolf, Kolmogorov amplification from Bell correlation, *International Symposium in Information Theory (ISIT) 2017*, 2017.
3. Ä. Baumeler, A. Feix, and S. Wolf, Maximal incompatibility of locally classical behavior and global causal order in multipartite scenarios, *Phys. Rev. A*, Vol. 90, No. 4, 042106, 2014.
4. Ä. Baumeler and S. Wolf, Causality — Complexity — Consistency: Can space-time be based on logic and computation?, “*Time in Physics*”, pp. 69–101, Birkhäuser Verlag, 2017.
5. Ä. Baumeler and S. Wolf, Non-causal computation, *Entropy*, Vol. 19, No. 7, p. 326, 2017.
6. J. S. Bell, On the Einstein-Podolsky-Rosen paradox, *Physics*, Vol. 1, pp. 195–200, 1964.
7. C. H. Bennett, The thermodynamics of computation, *International Journal of Theoretical Physics*, Vol. 21, No. 12, pp. 905–940, 1982.
8. C. H. Bennett, Notes on Landauer’s principle, reversible computation and Maxwell’s demon, *Studies in History and Philosophy of Modern Physics*, Vol. 34, pp. 501–510, 2003.
9. R. Colbeck and R. Renner, Free randomness can be amplified, *Nature Physics*, Vol. 8, pp. 450–454, 2012.
10. O. Dahlsten, R. Renner, E. Rieper, and V. Vedral, The work value of information, *New J. Phys.*, Vol. 13, 2011.
11. A. Einstein, B. Podolsky, and N. Rosen, Can quantum-mechanical description of physical reality be considered complete?, *Phys. Rev.*, Vol. 41, 1935.
12. P. Faist, F. Dupuis, J. Oppenheim, and R. Renner, The minimal work cost of information processing, *Nature Communications*, 2015.
13. P. Feyerabend, Wissenschaft als Kunst, *Inaugural Lecture*, ETH Zurich, 1980.
14. E. Fredkin and T. Toffoli, Conservative logic, *International Journal of Theoretical Physics*, Vol. 21, No. 3–4, pp. 219–253, 1982.
15. K. Gödel, An example of a new type of cosmological solutions of Einstein’s field equations of gravitation, *Reviews of Modern Physics*, Vol. 21, No. 3, pp. 447–450, 1949.
16. S. C. Kleene, *Mathematical Logic*, Wiley, 1967.
17. A. Kolmogorov, Three approaches to the quantitative definition of information, *Problemy Peredachi Informatsii*, Vol. 1, No. 1, pp. 3–11, 1965.

18. R. Landauer, Irreversibility and heat generation in the computing process, *IBM Journal of Research and Development*, Vol. 5, pp. 183–191, 1961.
19. F. Nietzsche, Die Philosophie im tragischen Zeitalter der Griechen, *Werke in drei Bänden*, Vol. 3, Carl Hanser Verlag, München, 1954.
20. O. Oreshkov, F. Costa, C. Brukner, Quantum correlations with no causal order, *Nature Communications*, Vol. 3, pp. 1092, 2012.
21. H. Reichenbach, The principle of the common cause, *The Direction of Time*, Chap. 19, pp. 157–167, California Press, Berkeley, 1956.
22. B. Russell, On the notion of cause, *Proceedings of the Aristotelian Society*, New Series, Vol. 13, pp. 1–26, 1912.
23. E. Specker, Die Logik nicht gleichzeitig entscheidbarer Aussagen, *Dialectica*, Vol. 14, pp. 239–246, 1960.
24. L. Szilárd, Über die Entropieverminderung in einem thermodynamischen System bei Eingriffen intelligenter Wesen, *Zeitschrift für Physik*, Vol. 53, pp. 840–856, 1929.
25. E. Vailati, *Leibniz & Clarke — A Study of Their Correspondence*, Oxford University Press, New York, 1997.
26. J. A. Wheeler, Information, physics, quantum: the search for link, *Proceedings III International Symposium on Foundations of Quantum Mechanics*, pp. 354–368, 1989.
27. S. Wolf, An all-or-nothing flavor to the Church-Turing hypothesis, *Proceedings of Theory and Applications of Models of Computation (TAMC) 2017*, Lecture Notes in Computer Science, Vol. 10185, pp. 39–56, Springer-Verlag, 2017.
28. S. Wolf, Non-locality without counterfactual reasoning, *Phys. Rev. A*, Vol. 92, No. 5, 052102, 2015.
29. J. Ziv and A. Lempel, Compression of individual sequences via variable-rate coding, *IEEE Transactions on Information Theory*, Vol. 24, No. 5, p. 530, 1978.
30. W. H. Zurek, Algorithmic randomness and physical entropy, *Phys. Rev. A*, Vol. 40, No. 8, 1989.
31. W. H. Zurek, Thermodynamic cost of computation, algorithmic complexity and the information metric, *Nature*, Vol. 341, pp. 119–124, 1989.